

STATE OF COLORADO

Roy Romer, Governor
Patti Shwayder, Acting Executive Director



Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S. Laboratory Building
Denver, Colorado 80222-1530 4210 E. 11th Avenue
Phone (303) 692-2000 Denver, Colorado 80220-3716
(303) 691-4700

Colorado Department
of Public Health
and Environment

April 14, 1995

Rico Development Corporation
c/o David L. Sell
McMichael, Benedict & Multz
1580 Lincoln Street, Suite 900
Denver, CO 80203

Mr. Wayne E. Webster
Site Manager
Burley Building
P.O. Box 130
Rico, CO 80524

**RE: Reported Violation for
CDPS Permit No: CO-0029793; Dolores County**

Dear Mr. Sell and Mr. Webster:

This letter acknowledges that the self-monitoring data you have provided on your Discharge Monitoring Report(s) indicates a violation of the discharge permit condition(s) as indicated below:

<u>Report Period</u>	<u>Outfall Number</u>	<u>Parameter</u>	<u>Reported Result(s)</u>	<u>Permit Conditions</u>
01/95	002A	Total Suspended Solids, frequency of analysis	2/30	weekly
		Total Recoverable Silver, frequency of analysis	2/30	weekly
		Total Recoverable Zinc, frequency of analysis	2/30	weekly
		Total Recoverable Cadmium, frequency of analysis	2/30	weekly
		Total Recoverable Lead, frequency of analysis	2/30	weekly
		Total Recoverable Copper, frequency of analysis	2/30	weekly

It is imperative that the necessary steps be taken to maintain compliance with permit conditions at all times. Continued noncompliance may result in a formal enforcement action.

If you have any questions regarding this matter, please contact me at 692-3590.

Sincerely,

Kathleen L. Sullivan
Industrial Enforcement Engineer
Permits and Enforcement Section
WATER QUALITY CONTROL DIVISION

cc: Grady R. Leavell, Rico Development Corporation, Burley Building, P.O. Box 130, Rico, CO 80524
Compliance Assurance Section, EPA
Local Health Department
Jim Horn, D.E., Field Support Section, WQCD
MS-3 Files

KLS/dc

9923

EPA000917